

### Noise Monitoring Field Record Sheet

|  |                         |                                 |
|--|-------------------------|---------------------------------|
| Monitoring Location                                  |                         | M3                              |
| Description of Location                              |                         | The HongKong True Light College |
| Date of Monitoring                                   |                         | 23-Dec-05                       |
| Measurement Start Time (hh:mm)                       |                         | 7:10                            |
| Measurement Time Length (min.)                       |                         | 30                              |
| Noise Meter Model / Identification                   |                         | NA-27                           |
| Calibrator Model / Identification                    |                         | NC-73                           |
| Measurement Results                                  | L <sub>90</sub> (dB(A)) | 64.6                            |
|  | L <sub>10</sub> (dB(A)) | 77.2                            |
|  | L <sub>EQ</sub> (dB(A)) | 72.6                            |
| Major Construction Noise Source(s) During Monitoring |                         | Nil                             |
| Other Noise Source(s) During Monitoring              |                         | Traffic Noise                   |
| Remarks  |                         |                                 |
| Cal.   | Begin: 94.0             | End: 94.0                       |

|             | <u>Name &amp; Designation</u> | <u>Signature</u>          | <u>Date</u>      |
|-------------|-------------------------------|---------------------------|------------------|
| Recorded By | <u><i>[Signature]</i></u>     | <u><i>[Signature]</i></u> | <u>23-Dec-05</u> |
| Checked By  | <u><i>C. P. Lam</i></u>       | <u><i>[Signature]</i></u> | <u>23-Dec-05</u> |

| 1st 5 min.              |      | 2nd 5 min.              |      | 3rd 5 min.              |      |
|-------------------------|------|-------------------------|------|-------------------------|------|
| L <sub>90</sub> (dB(A)) | 62.2 | L <sub>90</sub> (dB(A)) | 64.8 | L <sub>90</sub> (dB(A)) | 66.4 |
| L <sub>10</sub> (dB(A)) | 74.7 | L <sub>10</sub> (dB(A)) | 78.2 | L <sub>10</sub> (dB(A)) | 76.9 |
| L <sub>EQ</sub> (dB(A)) | 70   | L <sub>EQ</sub> (dB(A)) | 73.5 | L <sub>EQ</sub> (dB(A)) | 72.9 |
| 4th 5 min.              |      | 5th 5 min.              |      | 6th 5 min.              |      |
| L <sub>90</sub> (dB(A)) | 61.7 | L <sub>90</sub> (dB(A)) | 65.4 | L <sub>90</sub> (dB(A)) | 67.3 |
| L <sub>10</sub> (dB(A)) | 78.5 | L <sub>10</sub> (dB(A)) | 77.9 | L <sub>10</sub> (dB(A)) | 77.0 |
| L <sub>EQ</sub> (dB(A)) | 73.8 | L <sub>EQ</sub> (dB(A)) | 72.5 | L <sub>EQ</sub> (dB(A)) | 73.1 |





**Noise Monitoring Field Record Sheet**

|  |                         |               |
|--|-------------------------|---------------|
| Monitoring Location                                  |                         | M4            |
| Description of Location                              |                         | Shan On House |
| Date of Monitoring                                   |                         | 23-Dec-05     |
| Measurement Start Time (hh:mm)                       |                         | 8:55          |
| Measurement Time Length (min.)                       |                         | 30            |
| Noise Meter Model / Identification                   |                         | NA-27         |
| Calibrator Model / Identification                    |                         | NC-73         |
| Measurement Results                                  | L <sub>90</sub> (dB(A)) | 61.7          |
|  | L <sub>10</sub> (dB(A)) | 67.4          |
|  | L <sub>EQ</sub> (dB(A)) | 64.5          |
| Major Construction Noise Source(s) During Monitoring |                         | Nil           |
| Other Noise Source(s) During Monitoring              |                         | Nil           |
| Remarks  |                         |               |
| Cal.   | Begin: 94.0             | End: 94.0     |

|             |                               |                    |                  |
|-------------|-------------------------------|--------------------|------------------|
|             | <u>Name &amp; Designation</u> | <u>Signature</u>   | <u>Date</u>      |
| Recorded By | <u>Wella</u>                  | <u>[Signature]</u> | <u>23-Dec-05</u> |
| Checked By  | <u>CP Lam</u>                 | <u>[Signature]</u> | <u>23-Dec-05</u> |

| 1st 5 min.              |      | 2nd 5 min.              |      | 3rd 5 min.              |      |
|-------------------------|------|-------------------------|------|-------------------------|------|
| L <sub>90</sub> (dB(A)) | 61.8 | L <sub>90</sub> (dB(A)) | 62.1 | L <sub>90</sub> (dB(A)) | 61.5 |
| L <sub>10</sub> (dB(A)) | 67.3 | L <sub>10</sub> (dB(A)) | 67.5 | L <sub>10</sub> (dB(A)) | 67.0 |
| L <sub>EQ</sub> (dB(A)) | 64.5 | L <sub>EQ</sub> (dB(A)) | 64.7 | L <sub>EQ</sub> (dB(A)) | 64.7 |
| 4th 5 min.              |      | 5th 5 min.              |      | 6th 5 min.              |      |
| L <sub>90</sub> (dB(A)) | 61.6 | L <sub>90</sub> (dB(A)) | 61.7 | L <sub>90</sub> (dB(A)) | 61.7 |
| L <sub>10</sub> (dB(A)) | 68.2 | L <sub>10</sub> (dB(A)) | 67.1 | L <sub>10</sub> (dB(A)) | 67.4 |
| L <sub>EQ</sub> (dB(A)) | 64.4 | L <sub>EQ</sub> (dB(A)) | 64.2 | L <sub>EQ</sub> (dB(A)) | 64.6 |

**Noise Monitoring Field Record Sheet**

|  |                         |               |
|--|-------------------------|---------------|
| Monitoring Location                                  |                         | M4            |
| Description of Location                              |                         | Shan On House |
| Date of Monitoring                                   |                         | 23-Dec-05     |
| Measurement Start Time (hh:mm)                       |                         | 9:30          |
| Measurement Time Length (min.)                       |                         | 30            |
| Noise Meter Model / Identification                   |                         | NA-27         |
| Calibrator Model / Identification                    |                         | NC-73         |
| Measurement Results                                  | L <sub>90</sub> (dB(A)) | 62.3          |
|  | L <sub>10</sub> (dB(A)) | 67.8          |
|  | L <sub>EQ</sub> (dB(A)) | 64.5          |
| Major Construction Noise Source(s) During Monitoring |                         | Nil           |
| Other Noise Source(s) During Monitoring              |                         | Nil           |
| Remarks  |                         |               |
| Cal.   | Begin: 94.0             | End: 94.0     |

|             | <u>Name &amp; Designation</u> | <u>Signature</u>   | <u>Date</u>      |
|-------------|-------------------------------|--------------------|------------------|
| Recorded By | <u>W. L. L.</u>               | <u>[Signature]</u> | <u>23-Dec-05</u> |
| Checked By  | <u>C. P. L.</u>               | <u>[Signature]</u> | <u>23-Dec-05</u> |

| 7th 5 min.              |      | 8th 5 min.              |      | 9th 5 min.              |      |
|-------------------------|------|-------------------------|------|-------------------------|------|
| L <sub>90</sub> (dB(A)) | 62.2 | L <sub>90</sub> (dB(A)) | 62.5 | L <sub>90</sub> (dB(A)) | 62.0 |
| L <sub>10</sub> (dB(A)) | 67.8 | L <sub>10</sub> (dB(A)) | 67.9 | L <sub>10</sub> (dB(A)) | 68.3 |
| L <sub>EQ</sub> (dB(A)) | 64.5 | L <sub>EQ</sub> (dB(A)) | 64.5 | L <sub>EQ</sub> (dB(A)) | 64.1 |
| 10th 5 min.             |      | 11th 5 min.             |      | 12th 5 min.             |      |
| L <sub>90</sub> (dB(A)) | 62.6 | L <sub>90</sub> (dB(A)) | 62.5 | L <sub>90</sub> (dB(A)) | 61.9 |
| L <sub>10</sub> (dB(A)) | 69.1 | L <sub>10</sub> (dB(A)) | 67.6 | L <sub>10</sub> (dB(A)) | 66.2 |
| L <sub>EQ</sub> (dB(A)) | 65.2 | L <sub>EQ</sub> (dB(A)) | 64.3 | L <sub>EQ</sub> (dB(A)) | 64.1 |

### Noise Monitoring Field Record Sheet

|  |                         |               |
|--|-------------------------|---------------|
| Monitoring Location                                  |                         | M4            |
| Description of Location                              |                         | Shan On House |
| Date of Monitoring                                   |                         | 1-Aug-05      |
| Measurement Start Time (hh:mm)                       |                         | 10:01         |
| Measurement Time Length (min.)                       |                         | 30            |
| Noise Meter Model / Identification                   |                         | NA-27         |
| Calibrator Model / Identification                    |                         | NC-73         |
| Measurement Results                                  | L <sub>90</sub> (dB(A)) | 62.3          |
|  | L <sub>10</sub> (dB(A)) | 68.5          |
|  | L <sub>EQ</sub> (dB(A)) | 65.5          |
| Major Construction Noise Source(s) During Monitoring |                         | Nil           |
| Other Noise Source(s) During Monitoring              |                         | Nil           |
| Remarks  |                         |               |
| Cal.   | Begin: 94.0             | End: 94.0     |

|             |                               |                    |                  |
|-------------|-------------------------------|--------------------|------------------|
|             | <u>Name &amp; Designation</u> | <u>Signature</u>   | <u>Date</u>      |
| Recorded By | <u>Willa</u>                  | <u>[Signature]</u> | <u>23-Dec-05</u> |
| Checked By  | <u>C. P. Lam</u>              | <u>[Signature]</u> | <u>23-Dec-05</u> |

| 13th 5 min.             |      | 14th 5 min.             |      | 15th 5 min.             |      |
|-------------------------|------|-------------------------|------|-------------------------|------|
| L <sub>90</sub> (dB(A)) | 62.0 | L <sub>90</sub> (dB(A)) | 61.8 | L <sub>90</sub> (dB(A)) | 62.4 |
| L <sub>10</sub> (dB(A)) | 67.5 | L <sub>10</sub> (dB(A)) | 68.8 | L <sub>10</sub> (dB(A)) | 68.7 |
| L <sub>EQ</sub> (dB(A)) | 64.2 | L <sub>EQ</sub> (dB(A)) | 64.3 | L <sub>EQ</sub> (dB(A)) | 66.6 |
| 16th 5 min.             |      | 17th 5 min.             |      | 18th 5 min.             |      |
| L <sub>90</sub> (dB(A)) | 62.8 | L <sub>90</sub> (dB(A)) | 62.5 | L <sub>90</sub> (dB(A)) | 62.4 |
| L <sub>10</sub> (dB(A)) | 68.5 | L <sub>10</sub> (dB(A)) | 68.6 | L <sub>10</sub> (dB(A)) | 68.8 |
| L <sub>EQ</sub> (dB(A)) | 65.1 | L <sub>EQ</sub> (dB(A)) | 66.6 | L <sub>EQ</sub> (dB(A)) | 66.3 |



### Noise Monitoring Field Record Sheet




|  |                         |                                 |
|--|-------------------------|---------------------------------|
| Monitoring Location                                  |                         | M3                              |
| Description of Location                              |                         | The HongKong True Light College |
| Date of Monitoring                                   |                         | 23-Dec-05                       |
| Measurement Start Time (hh:mm)                       |                         | 16:29                           |
| Measurement Time Length (min.)                       |                         | 30                              |
| Noise Meter Model / Identification                   |                         | NA-27                           |
| Calibrator Model / Identification                    |                         | NC-73                           |
| Measurement Results                                  | L <sub>90</sub> (dB(A)) | 64.3                            |
|  | L <sub>10</sub> (dB(A)) | 76.7                            |
|  | L <sub>EQ</sub> (dB(A)) | 73.3                            |
| Major Construction Noise Source(s) During Monitoring |                         | Nil                             |
| Other Noise Source(s) During Monitoring              |                         | Traffic Noise                   |
| Remarks  |                         |                                 |
| Cal.   | Begin: 94.0             | End: 94.0                       |

|             | <u>Name &amp; Designation</u> | <u>Signature</u>   | <u>Date</u>      |
|-------------|-------------------------------|--------------------|------------------|
| Recorded By | <u>[Signature]</u>            | <u>[Signature]</u> | <u>23-Dec-05</u> |
| Checked By  | <u>C. Pham</u>                | <u>[Signature]</u> | <u>23-Dec-05</u> |

| 7th 5 min.              |      | 8th 5 min.              |      | 9th 5 min.              |      |
|-------------------------|------|-------------------------|------|-------------------------|------|
| L <sub>90</sub> (dB(A)) | 65.1 | L <sub>90</sub> (dB(A)) | 64.3 | L <sub>90</sub> (dB(A)) | 64.8 |
| L <sub>10</sub> (dB(A)) | 77.2 | L <sub>10</sub> (dB(A)) | 76.6 | L <sub>10</sub> (dB(A)) | 76.2 |
| L <sub>EQ</sub> (dB(A)) | 73   | L <sub>EQ</sub> (dB(A)) | 74.1 | L <sub>EQ</sub> (dB(A)) | 73.1 |
| 10th 5 min.             |      | 11th 5 min.             |      | 12th 5 min.             |      |
| L <sub>90</sub> (dB(A)) | 64.5 | L <sub>90</sub> (dB(A)) | 63.8 | L <sub>90</sub> (dB(A)) | 63.5 |
| L <sub>10</sub> (dB(A)) | 76.5 | L <sub>10</sub> (dB(A)) | 76.2 | L <sub>10</sub> (dB(A)) | 77.7 |
| L <sub>EQ</sub> (dB(A)) | 74.1 | L <sub>EQ</sub> (dB(A)) | 72.6 | L <sub>EQ</sub> (dB(A)) | 73.1 |

**Noise Monitoring Field Record Sheet**

|  |                         |                                 |
|--|-------------------------|---------------------------------|
| Monitoring Location                                  |                         | M3                              |
| Description of Location                              |                         | The HongKong True Light College |
| Date of Monitoring                                   |                         | 23-Dec-05                       |
| Measurement Start Time (hh:mm)                       |                         | 17:00                           |
| Measurement Time Length (min.)                       |                         | 30                              |
| Noise Meter Model / Identification                   |                         | NA-27                           |
| Calibrator Model / Identification                    |                         | NC-73                           |
| Measurement Results                                  | L <sub>90</sub> (dB(A)) | 63.9                            |
|  | L <sub>10</sub> (dB(A)) | 77.0                            |
|  | L <sub>EQ</sub> (dB(A)) | 72.9                            |
| Major Construction Noise Source(s) During Monitoring |                         | Nil                             |
| Other Noise Source(s) During Monitoring              |                         | Traffic Noise                   |
| Remarks  |                         |                                 |
| Cal.   | Begin: 94.0             | End: 94.0                       |

|             |  |  |                  |
|-------------|--|--|------------------|
|             | <u>Name &amp; Designation</u>  | <u>Signature</u>   | <u>Date</u>      |
| Recorded By | <u></u> | <u></u> | <u>23-Dec-05</u> |
| Checked By  | <u>C P Lam</u>   | <u></u> | <u>23-Dec-05</u> |

| 13th 5 min.             |      | 14th 5 min.             |      | 15th 5 min.             |      |
|-------------------------|------|-------------------------|------|-------------------------|------|
| L <sub>90</sub> (dB(A)) | 63.3 | L <sub>90</sub> (dB(A)) | 63.8 | L <sub>90</sub> (dB(A)) | 63.2 |
| L <sub>10</sub> (dB(A)) | 76.5 | L <sub>10</sub> (dB(A)) | 76.2 | L <sub>10</sub> (dB(A)) | 77.2 |
| L <sub>EQ</sub> (dB(A)) | 73   | L <sub>EQ</sub> (dB(A)) | 72.6 | L <sub>EQ</sub> (dB(A)) | 73.0 |
| 16th 5 min.             |      | 17th 5 min.             |      | 18th 5 min.             |      |
| L <sub>90</sub> (dB(A)) | 63.9 | L <sub>90</sub> (dB(A)) | 63.5 | L <sub>90</sub> (dB(A)) | 65.7 |
| L <sub>10</sub> (dB(A)) | 76.7 | L <sub>10</sub> (dB(A)) | 76.6 | L <sub>10</sub> (dB(A)) | 78.6 |
| L <sub>EQ</sub> (dB(A)) | 72.7 | L <sub>EQ</sub> (dB(A)) | 72.4 | L <sub>EQ</sub> (dB(A)) | 73.5 |

**Noise Monitoring Field Record Sheet**

|  |                         |               |
|--|-------------------------|---------------|
| Monitoring Location                                  |                         | M4            |
| Description of Location                              |                         | Shan On House |
| Date of Monitoring                                   |                         | 23-Dec-05     |
| Measurement Start Time (hh:mm)                       |                         | 17:40         |
| Measurement Time Length (min.)                       |                         | 30            |
| Noise Meter Model / Identification                   |                         | NA-27         |
| Calibrator Model / Identification                    |                         | NC-73         |
| Measurement Results                                  | L <sub>90</sub> (dB(A)) | 62.5          |
|  | L <sub>10</sub> (dB(A)) | 68.0          |
|  | L <sub>EQ</sub> (dB(A)) | 65.9          |
| Major Construction Noise Source(s) During Monitoring |                         | Nil           |
| Other Noise Source(s) During Monitoring              |                         | Nil           |
| Remarks  |                         |               |
| Cal.   | Begin: 94.0             | End: 94.0     |

|             | <u>Name &amp; Designation</u> | <u>Signature</u>   | <u>Date</u>      |
|-------------|-------------------------------|--------------------|------------------|
| Recorded By | <u>W. W. W.</u>               | <u>[Signature]</u> | <u>23-Dec-05</u> |
| Checked By  | <u>C. P. H.</u>               | <u>[Signature]</u> | <u>23-Dec-05</u> |

| 1st 5 min.              |      | 2nd 5 min.              |      | 3rd 5 min.              |      |
|-------------------------|------|-------------------------|------|-------------------------|------|
| L <sub>90</sub> (dB(A)) | 62.5 | L <sub>90</sub> (dB(A)) | 62.3 | L <sub>90</sub> (dB(A)) | 62.8 |
| L <sub>10</sub> (dB(A)) | 68.1 | L <sub>10</sub> (dB(A)) | 67.9 | L <sub>10</sub> (dB(A)) | 66.9 |
| L <sub>EQ</sub> (dB(A)) | 65.4 | L <sub>EQ</sub> (dB(A)) | 65.8 | L <sub>EQ</sub> (dB(A)) | 64.2 |
| 4th 5 min.              |      | 5th 5 min.              |      | 6th 5 min.              |      |
| L <sub>90</sub> (dB(A)) | 62.5 | L <sub>90</sub> (dB(A)) | 62.5 | L <sub>90</sub> (dB(A)) | 62.5 |
| L <sub>10</sub> (dB(A)) | 68.1 | L <sub>10</sub> (dB(A)) | 68.0 | L <sub>10</sub> (dB(A)) | 69.0 |
| L <sub>EQ</sub> (dB(A)) | 66.7 | L <sub>EQ</sub> (dB(A)) | 66.3 | L <sub>EQ</sub> (dB(A)) | 66.7 |



