## SECTION 1 ROADS

| Typical Bituminous Pavement Construction<br>Typical Concrete Pavement Construction<br>Paving Units Typical Construction Details<br>Details of Footway and Cycle-way<br>Details of Expansion Joint in Concrete Carriageway<br>Details of Contraction Joint in Concrete Carriageway<br>Details of Longitudinal Joint and Isolation Joint in Concrete Carriageway<br>Typical Details of Construction Joint in Concrete Carriageway<br>Details of Joint Groove for Transverse Joints<br>Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)<br>Typical Details of Run-in (Sheet 1 of 2) |
|--|
| Paving Units Typical Construction Details<br>Details of Footway and Cycle-way<br>Details of Expansion Joint in Concrete Carriageway<br>Details of Contraction Joint in Concrete Carriageway<br>Details of Longitudinal Joint and Isolation Joint in Concrete Carriageway<br>Typical Details of Construction Joint in Concrete Carriageway<br>Details of Joint Groove for Transverse Joints<br>Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)   |
| Details of Footway and Cycle-way<br>Details of Expansion Joint in Concrete Carriageway<br>Details of Contraction Joint in Concrete Carriageway<br>Details of Longitudinal Joint and Isolation Joint in Concrete Carriageway<br>Typical Details of Construction Joint in Concrete Carriageway<br>Details of Joint Groove for Transverse Joints<br>Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)  |
| Details of Footway and Cycle-way<br>Details of Expansion Joint in Concrete Carriageway<br>Details of Contraction Joint in Concrete Carriageway<br>Details of Longitudinal Joint and Isolation Joint in Concrete Carriageway<br>Typical Details of Construction Joint in Concrete Carriageway<br>Details of Joint Groove for Transverse Joints<br>Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)  |
| Details of Contraction Joint in Concrete Carriageway<br>Details of Longitudinal Joint and Isolation Joint in Concrete Carriageway<br>Typical Details of Construction Joint in Concrete Carriageway<br>Details of Joint Groove for Transverse Joints<br>Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)  |
| Details of Longitudinal Joint and Isolation Joint in Concrete Carriageway<br>Typical Details of Construction Joint in Concrete Carriageway<br>Details of Joint Groove for Transverse Joints<br>Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)  |
| Typical Details of Construction Joint in Concrete Carriageway<br>Details of Joint Groove for Transverse Joints<br>Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)   |
| Details of Joint Groove for Transverse Joints<br>Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)  |
| Typical Transition between Concrete and Flexible Pavements<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of<br>2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of<br>2)   |
| Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 1 of 2)<br>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of 2)   |
| <ul><li>2)</li><li>Details of Concrete Road Slab Around Manhole or Utility Pits (Sheet 2 of 2)</li></ul>   |
| 2)   |
| Typical Details of Run-in (Sheet 1 of 2)   |
| Typical Details of Run III (Sheet 1 of 2)  |
| Typical Details of Run-in (Sheet 2 of 2)   |
| Typical Details of Skew Run-in   |
| Typical Details of Run-in for Petrol Filling Stations  |
| Ramping of Kerb and Footway at Designated Pedestrian Crossings   |
| Precast Concrete Kerbs (Sheet 1 of 2)  |
| Precast Concrete Kerbs (Sheet 2 of 2)  |
| Standard for Corner Splays   |
| Transverse Joint Repair  |
| Repair of Full Width/Full Depth Transverse Crack (>1.5 mm)   |
| Temporary Reinstatement of Pavements   |
| Permanent Reinstatement of Pavement - Concrete Carriageway (Sheet 1 of 2)  |
| Permanent Reinstatement of Pavement - Concrete Carriageway (Sheet 2 of 2)  |
| Permanent Reinstatement of Pavement - Reinstatement of Joints  |
| Permanent Reinstatement of Pavement - Concrete Footway and Run-in<br>(Sheet 1 of 2)  |
| Permanent Reinstatement of Pavement - Concrete Footway and Run-in<br>(Sheet 2 of 2)  |
| Permanent Reinstatement of Pavement - Bituminous Pavement (Sheet 1 of 2)   |
| Permanent Reinstatement of Pavement - Bituminous Pavement (Sheet 2 of 2)   |
| Permanent Reinstatement of Pavement - Laying Paving Units  |
| Typical Arrangement of Temporary Pedestrian Crossing over Trench not exceeding 2000 mm Wide  |
|  |

As at 10 March 2025

### SECTION 1 ROADS

| H 1133B | Typical Arrangement of Temporary Footway Diversion   |
|---------|--|
| H 1134  | Precast Concrete Kerbs for Pedestrian Crossings      |
| H 1135  | Highly Modified Friction Course - Transition Details |
| H1136   | Typical Layout of Levelled Run-in                    |

### SECTION 2 STREET FURNITURE

| H 2101D   | Typical Details of Concrete Profile Barrier - Carriageways at Same Level                |
|-----------|---|
| H 2102B   | Typical Details of Concrete Profile Barrier - Carriageways at Different<br>Levels       |
| H 2103    | Concrete Profile Barrier - Terminal Section   |
| H 2104/1C | Standard Precast Concrete Profile Barrier - Single Faced                                |
| H 2104/2A | Standard Precast Concrete Profile Barrier - Double Faced                                |
| H 2105/1A | Typical Details of Concrete Profile Barrier - To Accommodate Column of Light Pole       |
| H 2105/2  | Typical Details of Concrete Profile Barrier - With Infill                               |
| H 2106B   | Mounting Details of Flanged Lighting Column on Concrete Profile Barrier                 |
| H 2108C   | Emergency Crash Gate  |
| H 2109A   | Details of Barrier for Central Dividing Strips (Sheet 1 of 3)                           |
| H 2110    | Details of Barrier for Central Dividing Strips (Sheet 2 of 3)                           |
| H 2111    | Details of Barrier for Central Dividing Strips (Sheet 3 of 3)                           |
| H 2112C   | Beam Barrier - Corrugated Beam  |
| H 2113A   | Untensioned Corrugated Beam Barrier with Compacted Earth Footings (Sheet 1 of 2)        |
| H 2114B   | Untensioned Corrugated Beam Barrier with Compacted Earth Footings (Sheet 2 of 2)        |
| H 2115A   | End Beam Section of Beam Barrier for use with Compacted Earth Footings                  |
| H 2116B   | Anchor for End Beam Section of Beam Barrier   |
| H 2117D   | Untensioned Beam Barriers with Concrete Footings for Post Spacing 4000mm (Sheet 1 of 3) |
| H 2119E   | Untensioned Beam Barriers with Concrete Footings for Post Spacing 4000mm (Sheet 2 of 3) |
| H 2120A   | Untensioned Beam Barriers with Concrete Footings for Post Spacing 4000mm (Sheet 3 of 3) |
| H 2121    | Beam Barrier - Anchor Blocks (Sheet 1 of 2)   |
| H 2122    | Beam Barrier - Anchor Blocks (Sheet 2 of 2)   |
| H 2123A   | Beam Barrier - Posts (Sheet 1 of 2)   |
| H 2124B   | Beam Barrier - Posts (Sheet 2 of 2)   |
| H 2125B   | Beam Barrier - Cleats and Struts  |
| H 2126A   | Beam Barrier - Alternative Mountings  |
| H 2127B   | Beam Barrier - Splice Bolts, Nut and Washer   |
| H 2128A   | Untensioned Corrugated Beam Barrier for Protection of Structural Column (Sheet 1 of 2)  |
| H 2129C   | Untensioned Corrugated Beam Barrier for Protection of Structural Column (Sheet 2 of 2)  |
| H 2130H   | Type 2 Railings - For Control Purpose   |
| H 2131D   | Type 2 and Type 4 Railings - Details  |
| H 2132H   | Type 2 Railings at Junctions and Crossings - For Control Purpose                        |
| H 2134I   | Expansion Joint for Type 2 Railings   |

### LIST OF DRAWINGS

| <b>SECTION 2</b> | STREET FURNITURE  |
|------------------|---|
| H 2135C          | Tubular Amenity Railings  |
| H 2136B          | Tubular Trip Rails  |
| H 2138C          | Typical Railing Combinations  |
| H 2139B          | Bollard and Rail  |
| H 2140A          | Concrete Plinth for Traffic Bollard (Sheet 1 of 2)  |
| H 2141A          | Concrete Plinth for Traffic Bollard (Sheet 2 of 2)  |
| H 2144           | Details of Sign Plate Fixed at Hand Railing of Bus Shelter  |
| H 2145C          | Foundation Details of Posting Boxes and Second Pouch Box  |
| H 2146C          | Foundation and Mini-drawpit for Traffic Signal Pole   |
| H 2147F          | Single Post Traffic Sign Support (Sheet 1 of 2)   |
| H 2148C          | Single Post Traffic Sign Support (Sheet 2 of 2)   |
| H 2150B          | Emergency Telephone Mounting Details - Roadside (Sheet 1 of 2)                                      |
| H 2151A          | Emergency Telephone Mounting Details - Roadside (Sheet 2 of 2)                                      |
| H 2152           | Emergency Telephone Mounting Details - Bridge with Concrete Parapet                                 |
| H 2153           | Emergency Telephone Mounting Details - Bridge with Steel Parapet                                    |
| H 2154           | Emergency Telephone Mounting Details - Bridge with Aluminium Parapet                                |
| H 2155B          | Emergency Telephone Mounting Details - Bridge with Steel/Aluminium                                  |
| H 2156           | Parapet (Sheet 1 of 2)<br>Emergency Talaphone Mounting Dataila – Bridge with Steel/Aluminium        |
| П 2130           | Emergency Telephone Mounting Details - Bridge with Steel/Aluminium<br>Parapet (Sheet 2 of 2)        |
| H 2157D          | ATC Draw Pit - Notes  |
| H 2158A          | ATC Draw Pit - Details of Spur Duct   |
| H 2159B          | ATC Draw Pit - Single Concrete Draw/Jointing Chamber (For Depth of Draw Pit not exceeding 850 mm)   |
| H 2160A          | ATC Draw Pit - Type A Twin Concrete Draw/Jointing Chamber (For Depth of Draw Pit exceeding 850 mm)  |
| H 2161A          | ATC Draw Pit - Type B Twin Concrete Draw/Jointing Chamber (For Depth                                |
| 11 21017         | of Draw Pit exceeding 850 mm)   |
| H 2162A          | ATC Draw Pit - Heavy Duty C. I. Cover & Frame   |
| H 2163B          | ATC Draw Pit - Details of Controller Plinth (Type C 2000 & C 3000 for Use on Hong Kong Island Only) |
| H 2164C          | Details of Plinth for Traffic Controller (Type Delta 4)   |
| H 2165B          | ATC Draw Pit - Concrete Earth Pit   |
| H 2166B          | ATC Draw Pit - Details of Cover & Frame for Earth Pit   |
| H 2167A          | ATC Draw Pit - Construction Details for T125B Controller Base                                       |
| H 2168A          | ATC Draw Pit - Details of Cable Draw-In Pit (Sheet 1 of 2)  |
| H 2169B          | ATC Draw Pit - Details of Cable Draw-In Pit (Sheet 2 of 2)  |
| H 2170A          | ATC Draw Pit - Details of Pit for Concentrator and Earthing Pit (Sheet 1 of 2)                      |
| H 2171           | ATC Draw Pit - Details of Pit for Concentrator and Earthing Pit (Sheet 2 of                         |
| H 2179C          | 2)<br>G.I. Bollard  |

## SECTION 2 STREET FURNITURE

| H 2180A   | ATC Draw Pit - Light Duty C.I. Cover and Frame  |
|-----------|---|
| H 2181A   | Typical Slot for Loop Detectors for ATC   |
| H 2182A   | Details of Mini Drawpit for Detector Loop   |
| H 2183B   | Details of Cover and Frame of Mini Drawpit for Detector Loop  |
| H 2184B   | Fabricated Steel Recessed Cover and Frame for ATC/E&M Drawpit   |
|           | Opening from 400 x 400 to 600 x 600 (Sheet 1 of 3)  |
| H 2185B   | Fabricated Steel Recessed Cover and Frame for ATC/E&M Drawpit   |
|           | Opening from 400 x 400 to 600 x 600 (Sheet 2 of 3)  |
| H 2186C   | Fabricated Steel Recessed Cover and Frame for ATC/E&M Drawpit<br>Opening from 400 x 400 to 600 x 600 (Sheet 3 of 3) |
| H 2189/1  | Type 1 and Type 2 Frangible Bollard for Use on Cycle Track  |
| H 2189/2A | Self-erective Tubular Marker on Cycle Track   |
| H 2190A   | Thrie-beam – Beam Rail  |
| H 2191A   | Modified Thrie-beam - Typical Mounting Details  |
| H 2192A   | Standard Thrie-beam - Typical Mounting Details  |
| H 2193B   | Thrie-beam - Typical Details for Modified Blockout  |
| H 2194A   | Thrie-beam - Typical Details for Standard Blockout  |
| H 2195B   | Thrie-beam - Typical Details for Post   |
| H 2196    | Thrie-beam - Typical Transition Details to W-beam   |
| H 2197    | Thrie-beam - Splice Bolts and Nuts  |
| H 2198C   | Single Post Traffic Sign Support (Using Off-centered Method) (Sheet 1 of 4)   |
| H 2199C   | Single Post Traffic Sign Support (Using Off-centered Method) (Sheet 2 of 4)   |
| H 2200B   | Single Post Traffic Sign Support (Using Off-centered Method) (Sheet 3 of 4)   |
| H 2201B   | Single Post Traffic Sign Support (Using Off-centered Method) (Sheet 4 of 4)   |
| H 2205    | Double Street Name Plates with Building Numbers Mounting on Existing  |
|           | Support   |
| H 2206D   | Street Name Plate with Building Numbers   |
| H 2207    | General Method of Assigning Building Numbers to Street Name Plates  |
| H 2208E   | Double Street Name Plates with Building Numbers Centre-mounted on New   |
|           | Support   |
| H 2211C   | Channel and Bracket for Mounting Street Name Plates   |
| H 2212A   | Roadside Directional Signs (Sheet 1 of 14)  |
| H 2213    | Roadside Directional Signs (Sheet 2 of 14)  |
| H 2214    | Roadside Directional Signs (Sheet 3 of 14)  |
| H 2215    | Roadside Directional Signs (Sheet 4 of 14)  |
| H 2216    | Roadside Directional Signs (Sheet 5 of 14)  |
| H 2217    | Roadside Directional Signs (Sheet 6 of 14)  |
| H 2218    | Roadside Directional Signs (Sheet 7 of 14)  |
| H 2219    | Roadside Directional Signs (Sheet 8 of 14)  |
| H 2220    | Roadside Directional Signs (Sheet 9 of 14)  |
| H 2221    | Roadside Directional Signs (Sheet 10 of 14)   |
| H 2222    | Roadside Directional Signs (Sheet 11 of 14)   |
| ·         |   |

## SECTION 2 STREET FURNITURE

| H 2223  | Roadside Directional Signs (Sheet 12 of 14)  |
|---------|--|
| H 2224  | Roadside Directional Signs (Sheet 13 of 14)  |
| H 2225A | Roadside Directional Signs (Sheet 14 of 14)  |
| H 2227B | Single Post Multi-sign Support for Cantilever-mounted Traffic Signs  |
| H 2228E | Single Post Multi-sign Support for Street Name Plates and Centre-mounted   |
|         | Traffic Signs (Sheet 1 of 2)   |
| H 2229C | Single Post Multi-sign Support for Street Name Plates and Centre-mounted<br>Traffic Signs (Sheet 2 of 2)             |
| H 2230C | Single Post Multi-sign Support for Street Name Plates and Cantilever-<br>mounted Traffic Signs                       |
| H 2231  | Typical Mounting Details of Street Name Plate or Traffic Sign on Public<br>Lighting Column                           |
| H 2232C | Pedestrian Directional Sign Support  |
| H 2238  | Bus Containment Level Standard / Modified Thrie-Beam Barrier with<br>Additional Rail                                 |
| H 2243  | Duct Plug for Blank Duct (Sheet 1 of 2)  |
| H 2244  | Duct Plug for Blank Duct (Sheet 2 of 2)  |
| H 2245  | Sealing for Duct Containing Cables   |
| H 2246A | Short GMS Bollard  |
| H 2247  | Short Precast Concrete Bollard with Coloured Smooth Granolithic Finishing  |
| H 2254  | Removable Concrete Barrier for Facilitating Traffic Diversion - General Arrangement                                  |
| Н 2255  | Removable Concrete Barrier for Facilitating Traffic Diversion - End Anchor Block                                     |
| H 2256  | Removable Concrete Barrier for Facilitating Traffic Diversion - Typical Removable Barrier Unit                       |
| H 2257  | Space Reduction for E & M Manholes (Sheet 1 of 2)  |
| H 2258  | Space Reduction for E & M Manholes (Sheet 2 of 2)  |
| H 2259  | Removable Bollards and Railings (Sheet 1 of 4)   |
| H 2260  | Removable Bollards and Railings (Sheet 2 of 4)   |
| H 2261  | Removable Bollards and Railings (Sheet 3 of 4)   |
| H 2262  | Removable Bollards and Railings (Sheet 4 of 4)   |
| H 2265B | Typical Signage Arrangement for Proprietary Crash Cushion and End<br>Terminal  |
| H 2268B | Single Post Multi-Sign Support for Traffic Signs Perpendicular to Each<br>Other<br>(Centre-Mounted)                  |
| H 2269B | Single Post Multi-Sign Support for Traffic Signs Perpendicular to Each Other   |
| H 2270B | (Using Off-Centered Method) (Sheet 1 of 2)<br>Single Post Multi-Sign Support for Traffic Signs Perpendicular to Each |
|         | Other<br>(Using Off-Centered Method) (Sheet 2 of 2)  |

#### **SECTION 2** STREET FURNITURE H 2271 Stainless Steel Railing Type SS01 within Public Transport Interchange (Sheet 1 of 2) H 2272 Stainless Steel Railing Type SS01 within Public Transport Interchange (Sheet 2 of 2) Movable Steel Barrier - Typical Layout H 2273 H 2274 Movable Steel Barrier - Alternative Layout for Installation at Wide Central Divider H 2275 Movable Steel Barrier - Instruction Labels H 2276B Emergency Access Gate (EAG) H 2277 Combining Arrangement for Single Post Traffic Sign(s) Support and Railings H 2278 Type 1 Bollard Without Chains - For Guidance Purpose H 2282A Type 4 Railings - For Control Purpose H 2283A **Expansion Joint for Type 4 Railings** Type 5 Railing (Half Panel) - For Control Purpose H 2284 Type 6 Railing (Full Panel) - For Control Purpose H 2285 Typical Details for Type 5 Railing (Half Panel) and Type 6 Railing (Full H 2286 Panel) H 2287 Type 7 Railing (Half Panel) - For Control Purpose Type 8 Railing (Full Panel) - For Control Purpose H 2288 H 2289 Typical Details for Type 7 Railing (Half Panel) and Type 8 Railing (Full Panel) Type 9 Railing - For Control Purpose H 2290 H 2291 Typical Details for Type 9 Railing Type 10 Railing - For Control Purpose H 2292 H 2293 Type 11 Railing - For Control Purpose H 2294 Typical Details for Type 10 & 11 Railing Type 12 Railing - For Control Purpose H 2295 H 2296 Type 12 Railing End Panel - For Control Purpose H 2297 Type 13 Railing (High Visibility Panel) - For Control Purpose H 2298 Typical Details for Type 12 Railing & 13 Railing (High Visibility Panel) Sheet 1 of 2 H 2299 Typical Details for Type 12 Railing & 13 Railing (High Visibility Panel) Sheet 2 of 2 H 2300A Detachable Dome Shape Cap for Traffic Sign Post H 2301 Directional Signage for Visitors (Sheet 1 of 4) H 2302 Directional Signage for Visitors (Sheet 2 of 4) Directional Signage for Visitors (Sheet 3 of 4) H 2303 Directional Signage for Visitors (Sheet 4 of 4) H 2304 H 2307 Type 1 Bollard with Synthetic Fibre Rope - for Guidance Purpose Type 2 Bollard with Synthetic Fibre Rope - for Guidance Purpose H 2308 Type 3 Bollard with Synthetic Fibre Rope - for Guidance Purpose H 2309

## SECTION 3 DRAINAGE

| H 3101A   | Road Pavement Drainage - Typical Installation                             |
|-----------|---|
| H 3102    | Typical Sub-soil Drainage for Pavement on Embankment                      |
| H 3103A   | Typical Sub-soil Drainage for Pavement on Cutting Formation               |
| H 3104C   | Reference Table for Different Types of Gully Gratings and Kerb Overflow   |
|           | Weirs   |
| H 3105A   | Installation of Gully Gratings  |
| H 3106A   | Installation of Gully Gratings in Flexible Pavements with Friction Course |
| H 3107A   | Untrapped In-situ Gully for Type GA1-450 Grating - Flexible Pavement      |
| H 3108A   | Untrapped In-situ Gully for Type GA1-450 Grating - Rigid Pavement         |
| H 3109A   | Untrapped Gully with Gully Former   |
| H 3110A   | Trapped Gully with Gully Former   |
| H 3111    | Typical Gully Installation for Highway Structures (Sheet 1 of 2)          |
| H 3112    | Typical Gully Installation for Highway Structures (Sheet 2 of 2)          |
| H 3113A   | Stormwater Drainage for Highway Structures Typical Installation           |
| H 3114B   | Rodding Eye Cover for Highway Structures (Sheet 1 of 2)                   |
| H 3115B   | Rodding Eye Cover for Highway Structures (Sheet 2 of 2)                   |
| H 3116A   | Gully Grating Type GA1-450 - 517x432 Double Triangular Shallow Frame      |
| H 3117A   | Gully Grating Type GA1-450 - 517x432 Double Triangular Deep Frame         |
| H 3118C   | Gully Grating Type GA1-450 - 517x432 Double Triangular Orientation        |
| H 3119A   | Gully Grating Type GA2-325 (Sheet 1 of 2)                                 |
| H 3120A   | Gully Grating Type GA2-325 (Sheet 2 of 2)                                 |
| H 3121A   | Kerb Overflow Weirs Type K1-450H  |
| H 3122A   | Kerb Overflow Weirs Type K3-325H  |
| H 3123B   | Kerb Overflow Weirs Type K1-450V  |
| H 3124B   | Kerb Overflow Weirs Type K3-325V  |
| H 3125    | Kerb Overflow Weirs Type K2-450H  |
| H 3126B   | Kerb Overflow Weirs Type K2-450V  |
| H 3127A   | Kerb Overflow Weirs Type PR-450H and PR-325H                              |
| H 3128/1A | Kerb Overflow Weirs Type PR-450V and PR-325V                              |
| H 3128/2A | Kerb Overflow Weirs Type PRS-450V and PRS-325V                            |
| H 3129B   | Bar for Kerb Overflow Weir  |
| H 3130A   | Haunch and Surround to Pipes  |
| H 3133    | Typical Details of Flexible Joint for Pipes with Concrete Haunch          |
| H 3134B   | Petrol Interceptor for Open Public Transport Interchange (Sheet 1 of 11)  |
| H 3135C   | Petrol Interceptor for Open Public Transport Interchange (Sheet 2 of 11)  |
| H 3136B   | Petrol Interceptor for Open Public Transport Interchange (Sheet 3 of 11)  |
| H 3137A   | Petrol Interceptor for Open Public Transport Interchange (Sheet 4 of 11)  |
| H 3138B   | Petrol Interceptor for Open Public Transport Interchange (Sheet 5 of 11)  |
| H 3139B   | Petrol Interceptor for Open Public Transport Interchange (Sheet 6 of 11)  |
| H 3140A   | Petrol Interceptor for Open Public Transport Interchange (Sheet 7 of 11)  |
| H 3141B   | Petrol Interceptor for Open Public Transport Interchange (Sheet 8 of 11)  |
| H 3142B   | Petrol Interceptor for Open Public Transport Interchange (Sheet 9 of 11)  |

## SECTION 3 DRAINAGE

| H 3143B  | Petrol Interceptor for Open Public Transport Interchange (Sheet 10 of 11) |
|----------|---|
| H 3144B  | Petrol Interceptor for Open Public Transport Interchange (Sheet 11 of 11) |
| H 3145   | Cover Restraint for Drainage Manholes (Sheet 1 of 2)                      |
| H 3146   | Cover Restraint for Drainage Manholes (Sheet 2 of 2)                      |
| H 3152   | Compound Materials Gully Grating Type GA1-450 - Double Triangular -       |
|          | Frame   |
| H 3153A  | Compound Materials Gully Grating Type GA1-450 - Double Triangular         |
| H 3154A  | Compound Materials Channel Grating Not Subject to Vehicular Load          |
| H 3155A  | Compound Materials Channel Grating Subject to Vehicular Load              |
| H 3156B  | Cast Iron Channel Grating Not Subject to Vehicular Load                   |
| H 3157/1 | Drain Holes Across Central Divider  |
| H 3157/2 | Drain Holes Through Roadside Barrier                                      |
| H 3158A  | Mild Steel Gully Grating Type GA1-450                                     |
| H 3159   | Typical Details of Transverse Drain (Sheet 1 of 3)                        |
| H 3160   | Typical Details of Transverse Drain (Sheet 2 of 3)                        |
| H 3161   | Typical Details of Transverse Drain (Sheet 3 of 3)                        |
|          |   |

| <b>SECTION 4</b> | DRAWINGS FOR MAINTENANCE OF EXISTING INSTALLATION ONLY  |
|------------------|---|
| H 4101           | Granite Kerbs   |
| H 4102B          | Details of Ornamental Railing   |
| H 4103B          | Details of Tubular Railings   |
| H 4104           | Alternative Forms of Central Divider - for Minor Repairs of Existing Railing                                  |
| H 4105B          | Hollow Section Steel Fencing - for Repairing Existing Works Only  |
| H 4106A          | Details of Anti-glare Sheet Fencing - for Repairing Existing Works Only                                       |
| H 4107B          | Type 1 Railings   |
| H 4109           | Bus Shelter - General layout  |
| H 4110           | Bus Shelter - Type 'A'  |
| H 4111           | Bus Shelter - Type 'B'  |
| H 4112           | Bus Shelter - Half Height Panel   |
| H 4113           | Bus Shelter - Full Height Panel   |
| H 4114           | Bus Shelter - Footings  |
| H 4115           | Bus Shelter - Rodding Eye Details of Drain Pipe   |
| H 4116B          | Type 3 Railings without Top Rail  |
| H 4118           | Foundation Details of Type A-B Posting Box  |
| H 4119B          | Fixing of Double Street Name Plates with Building Numbers on Existing   |
|                  | G.I. Pipe Support   |
| H 4120           | Double Street Name Plates with Building Numbers Mounting on Existing<br>Ornamental Railing and Type 2 Railing |
| H 4130           | Concrete Profile Barrier - Emergency Crossing Detail  |
| H 4131           | Beam Barrier – Channel Post   |
| H 4132           | Untensioned Corrugated Beam Barriers at Narrow Central Reservation  |
| H 4134           | Type 1 Bollard with Chains - for Guidance Purpose   |
| H 4135           | Type 2 Bollard with Chains - for Guidance Purpose   |
| H 4136           | Type 3 Bollard with Chains - for Guidance Purpose   |
| H 4137           | Type 2 Railings - for Control Purpose - for Repairing Existing Works Only                                     |
| H 4138           | Type 2 and Type 4 Railings - Details - for Repairing Existing Works Only                                      |
| H 4139           | Type 2 Railings at Junctions and Crossings - for Control Purpose<br>- for Repairing Existing Works Only       |
| H 4140           | Expansion Joint for Type 2 Railings - for Repairing Existing Works Only                                       |
| H 4141           | Type 4 Railings – for Control Purpose - for Repairing Existing Works Only                                     |
| H 4142           | Expansion Joint for Type 4 Railings - for Repairing Existing Works Only                                       |

| <b>SECTION 5</b> | LANDSCAPE HARD WORKS   |
|------------------|--|
| H 5101A          | Concrete Paving Blocks Type 'A'  |
| H 5102A          | Concrete Paving Blocks Type 'B'  |
| H 5103C          | Dwarf Walls - Stone  |
| H 5104B          | Dwarf Walls - Reinforcement Concrete                                   |
| H 5114C          | Precast Concrete Paving Units - Dimension, Colour & Bonding Pattern    |
| H 5117A          | Tree Tie   |
| H 5118E          | Tactile Tiles/ Slabs/ Blocks   |
| H 5119B          | Tactile Warning Strip at Skewed Crossing                               |
| H 5120A          | Tactile Warning Strips at Triangular Safety Island                     |
| H 5121A          | Tactile Warning Strips at Staggered Crossing                           |
| H 5122A          | Tactile Warning Strips at Central Refuge                               |
| H 5123B          | Typical Fixing Details of Tactile Warning Strip                        |
| H 5124A          | Tactile Warning Strip at Curved Pedestrian Crossing                    |
| H 5125D          | Paving Units - Special Construction Details for Selected Footways with |
|                  | Vehicular Over-Run of Pavement   |
| H 5126C          | Paving Units - Special Construction Details for Selected Footways with |
|                  | Vehicular Over-Run of Pavement and Shallow Cover to Utility Services   |
| H 5127C          | Paving Units - Joint Stabilizing Sealer                                |
| H 5133B          | Paving Units - Run-In Details (Sheet 1 of 3)                           |
| H 5134B          | Paving Units - Run-In Details (Sheet 2 of 3)                           |
| H 5135B          | Paving Units - Run-In Details (Sheet 3 of 3)                           |
| H 5136A          | Laying Paving Units with Geogrid                                       |
| H 5137A          | Permanent Reinstatement of Pavement - Laying Paving Units with Geogrid |
| H 5142           | Toe Wall Planter - Shotcreted Slope (Sheet 1 of 2)                     |
| H 5143           | Toe Wall Planter - Shotcreted Slope (Sheet 2 of 2)                     |
| H 5144A          | Tree Pit Planter (Sheet 1 of 2)  |
| H 5145A          | Tree Pit Planter (Sheet 2 of 2)  |
| H 5146A          | Kerb Planter   |

### LIST OF DRAWINGS

| <b>SECTION 6</b> | MISCELLANEOUS   |
|------------------|---|
| H 6101           | Highways Department Logo  |
| H 6102A          | Weather Chart   |
| H 6103           | Progress Chart Specimen   |
| H 6104           | Utilities Symbols (Sheet 1 of 2)  |
| H 6105           | Utilities Symbols (Sheet 2 of 2)  |
| H 6106A          | Major Project Signboard (Sheet 1 of 2)  |
| H 6107B          | Major Project Signboard (Sheet 2 of 2)  |
| H 6108           | Minor Project Signboard (Sheet 1 of 2)  |
| H 6109B          | Minor Project Signboard (Sheet 2 of 2)  |
| H 6110C          | Site Hoardings (Sheet 1 of 2)   |
| H 6111E          | Site Hoardings (Sheet 2 of 2)   |
| H 6112E          | Temporary Tubular Barrier   |
| H 6114A          | Publicity Board Support   |
|                  | - Superseded by drawing no. H6165   |
| H 6116C          | Vehicle Roof Mounted Highway Maintenance Sign   |
| H 6117A          | Details of Culvert Marker   |
| H 6118A          | Details of Kilometre Stone Marker   |
| H 6119A          | Survey Markers  |
| H 6120D          | Boundary Fence  |
| H 6121D          | Chain Link Fence (Sheet 1 of 2)   |
| H 6122C          | Chain Link Fence (Sheet 2 of 2)   |
| H 6123B          | Tubular Steel Framed Passenger Shelter - Type 'A' (Sheet 1 of 4)  |
| H 6124B          | Tubular Steel Framed Passenger Shelter - Type 'A' (Sheet 2 of 4)  |
| H 6125B          | Tubular Steel Framed Passenger Shelter - Type 'A' (Sheet 3 of 4)  |
| H 6126B          | Tubular Steel Framed Passenger Shelter - Type 'A' (Sheet 4 of 4)  |
| H 6127B          | Tubular Steel Framed Passenger Shelter - Type 'B' (Sheet 1 of 4)  |
| H 6128B          | Tubular Steel Framed Passenger Shelter - Type 'B' (Sheet 2 of 4)  |
| H 6129B          | Tubular Steel Framed Passenger Shelter - Type 'B' (Sheet 3 of 4)  |
| H 6130B          | Tubular Steel Framed Passenger Shelter - Type 'B' (Sheet 4 of 4)  |
| H 6133E          | Display Board for Explaining Reasons for Idle Road Works (Sheet 1 of 3)   |
| H 6134I          | Display Board for Explaining Reasons for Idle Road Works (Sheet 2 of 3)   |
| H 6135D          | Typical Vehicle Crossing over Trench Opening for Flexible Pavement<br>(Flush with Road Surface)   |
| H 6136B          | Typical Vehicle Crossing over Trench Opening for Rigid Pavement<br>(Not Flush with Road Surface)<br>- Superseded by drawing no. H6136/2 |
| H 6136/1A        | Typical Vehicle Crossing over Trench Opening for Rigid Pavement<br>(Flush with Road Surface)  |
| H 6136/2A        | Typical Vehicle Crossing over Trench Opening for Rigid Pavement<br>(Not Flush with Road Surface)  |
| H 6137F          | Reflective Jacket Details   |
| H 6138E          | Display Board for Explaining Reasons for Idle Road Works (Sheet 3 of 3)   |

### LIST OF DRAWINGS

# SECTION 6 MISCELLANEOUS

| H 6139B | Display Sign for Slope / Wall Registration Number (Sheet 1 of 3)        |
|---------|---|
| H 6140B | Display Sign for Slope / Wall Registration Number (Sheet 2 of 3)        |
| H 6141B | Display Sign for Slope / Wall Registration Number (Sheet 3 of 3)        |
| H 6142  | Colour Scheme for Taxi Passenger Shelter                                |
| H 6143A | Details of Cartoon Figure   |
| H 6144B | Publicity Board (Sheet 1 of 6)  |
| H 6145B | Publicity Board (Sheet 2 of 6)  |
| H 6146D | Publicity Board (Sheet 3 of 6)  |
| H 6147E | Publicity Board (Sheet 4 of 6)  |
| H 6148B | Publicity Board (Sheet 5 of 6)  |
| H 6149B | Publicity Board (Sheet 6 of 6)  |
| H 6151A | Fixing Detail for Hazard Warning Lantern on Rail of Temporary Barrier   |
| H 6152  | Chainage Marker Plate for Tunnel  |
| H 6153A | Layouts of Street Name Plates with Building Numbers at a Corner of Road |
|         | Junction  |
| H 6154A | Layouts of Street Name Plates with Building Numbers at Road Junction    |
| H 6155  | Site Hoardings with Transparent Panels                                  |
| H 6156  | Common Utility Duct Bank - Typical Arrangement across Carriageway       |
| H 6157  | Common Utility Duct Bank - Typical Arrangement under Footpath           |
| H 6158  | Common Utility Duct Bank - Typical Dimensions                           |
| H 6160A | Site Hoardings for Applying Graphic Film (Sheet 1 of 2)                 |
| H 6161A | Site Hoardings for Applying Graphic Film (Sheet 2 of 2)                 |
| H 6162  | Typical Vehicle Crossing over Trench Opening for Rigid Pavement         |
|         | (Flush with Road Surface)   |
|         | - Superseded by drawing no. H6136/1                                     |
| H 6163A | Construction Industry (CI) Logo on Site Hoardings                       |
| H 6165  | Publicity Board Support - Steel Strut                                   |
| H 6166  | Publicity Board Support - Water-Filled Barrier (Sheet 1 of 2)           |
| H 6167  | Publicity Board Support - Water-Filled Barrier (Sheet 2 of 2)           |
| H 6168  | Minimum Depth Requirement for Underground Services (Sheet 1 of 3)       |
| H 6169  | Minimum Depth Requirement for Underground Services (Sheet 2 of 3)       |
| H 6170  | Minimum Depth Requirement for Underground Services (Sheet 3 of 3)       |
| H 6172  | Identification of Contract Transport                                    |
| H 6173  | Long Sleeve Reflective Jacket and Trousers (Sheet 1 of 3)               |
| H 6174  | Long Sleeve Reflective Jacket and Trousers (Sheet 2 of 3)               |
| H 6175  | Long Sleeve Reflective Jacket and Trousers (Sheet 3 of 3)               |